



	SPK ROLLER A	120A10	UPC: 697950024516
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	10	Construction Detail	Solid
Outside Diameter	5.517 in.	Bore Type	Stock Bore
Pitch Diameter	4.854 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	5.517 in.	Weight	3.78 lbs.
Storage Dimension Width	5.517 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A11	UPC: 697950024530
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	11	Construction Detail	Solid
Outside Diameter	6.009 in.	Bore Type	Stock Bore
Pitch Diameter	5.324 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	6.009 in.	Weight	4.66 lbs.

Storage Dimension Width	6.009 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A12	UPC: 697950024554
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	12	Construction Detail	Solid
Outside Diameter	6.498 in.	Bore Type	Stock Bore
Pitch Diameter	5.796 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	6.498 in.	Weight	5.64 lbs.
Storage Dimension Width	6.498 in.	Individually Packaged	No
Storage Dimension Height	0.924 in		

	SPK ROLLER A	120A13	UPC: 697950024585
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.692 in.
Chain Number	100	Hardened Teeth	No
Chain Pitch	1.250 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.692 in.
Number of Teeth	13	Construction Detail	Solid

Outside Diameter	5.821 in.	Bore Type	Stock Bore
Pitch Diameter	5.223 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	6.986 in.	Weight	6.70 lbs.
Storage Dimension Width	6.986 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A14	UPC: 697950024615
--	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	14	Construction Detail	Solid
Outside Diameter	7.472 in.	Bore Type	Stock Bore
Pitch Diameter	6.741 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	7.472 in.	Weight	7.85 lbs.
Storage Dimension Width	7.472 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		


	SPK ROLLER A	120A15	UPC: 697950024646
---	--------------	---------------	-------------------

Especificações			
----------------	--	--	--

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	15	Construction Detail	Solid
Outside Diameter	7.957 in.	Bore Type	Stock Bore
Pitch Diameter	7.215 in.	Min Bore Size	1.250 in

Informações			
Storage Dimension Length	7.957 in.	Weight	9.10 lbs.
Storage Dimension Width	7.957 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A16	UPC: 697950024677
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	16	Construction Detail	Solid
Outside Diameter	8.441 in.	Bore Type	Stock Bore
Pitch Diameter	7.689 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	8.441 in.	Weight	10.42 lbs.
Storage Dimension Width	8.441 in.	Individually Packaged	No
Storage Dimension Height	0.924 in		



SPK ROLLER A

120A17

UPC: 697950024707

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	17	Construction Detail	Solid
Outside Diameter	8.924 in.	Bore Type	Stock Bore
Pitch Diameter	8.163 in.	Min Bore Size	1.250 in.

Informações

Storage Dimension Length	8.924 in.	Weight	11.84 lbs.
Storage Dimension Width	8.924 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

SPK ROLLER A

120A18


UPC: 697950024738

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	18	Construction Detail	Solid
Outside Diameter	9.407 in.	Bore Type	Stock Bore
Pitch Diameter	8.638 in.	Min Bore Size	1.250 in.

Informações

Storage Dimension Length	9.407 in.	Weight	13.35 lbs.
Storage Dimension Width	9.407 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A19	UPC: 697950024769
---	--------------	---------------	-------------------


Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	19	Construction Detail	Solid
Outside Diameter	9.889 in.	Bore Type	Stock Bore
Pitch Diameter	9.113 in.	Min Bore Size	1.250 in.

Informações

Storage Dimension Length	9.889 in.	Weight	14.94 lbs.
Storage Dimension Width	9.889 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin


	SPK ROLLER A	120A20	UPC: 697950024790
---	--------------	---------------	-------------------

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	20	Construction Detail	Solid

Outside Diameter	10.371 in.	Bore Type	Stock Bore
Pitch Diameter	9.589 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	10.371 in.	Weight	16.63 lbs.
Storage Dimension Width	10.371 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A21	UPC: 697950024820
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	21	Construction Detail	Solid
Outside Diameter	10.852 in.	Bore Type	Stock Bore
Pitch Diameter	10.064 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	10.852 in.	Weight	18.40 lbs.
Storage Dimension Width	10.852 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		


Martin

	SPK ROLLER A	120A22	UPC: 697950024851
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.

Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	22	Construction Detail	Solid
Outside Diameter	11.333 in.	Bore Type	Stock Bore
Pitch Diameter	10.540 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	11.333 in.	Weight	20.26 lbs.
Storage Dimension Width	11.333 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A23	UPC: 697950024882
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	23	Construction Detail	Solid
Outside Diameter	11.813 in.	Bore Type	Stock Bore
Pitch Diameter	11.016 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	11.813 in.	Weight	22.21 lbs.
Storage Dimension Width	11.813 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A24	UPC: 697950024912
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	24	Construction Detail	Solid
Outside Diameter	12.294 in.	Bore Type	Stock Bore
Pitch Diameter	11.492 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	12.294 in.	Weight	24.24 lbs.
Storage Dimension Width	12.294 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A25	UPC: 697950024943
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	25	Construction Detail	Solid
Outside Diameter	12.774 in.	Bore Type	Stock Bore
Pitch Diameter	11.968 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	12.774 in.	Weight	26.37 lbs.
Storage Dimension Width	12.774 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		



	SPK ROLLER A	120A26	UPC: 697950024974
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	26	Construction Detail	Solid
Outside Diameter	13.254 in.	Bore Type	Stock Bore
Pitch Diameter	12.444 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	13.254 in.	Weight	28.45 lbs.
Storage Dimension Width	13.254 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A27	UPC: 697950024998
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	27	Construction Detail	Solid
Outside Diameter	13.733 in.	Bore Type	Stock Bore
Pitch Diameter	12.921 in.	Min Bore Size	1.500 in.


Informações			

Storage Dimension Length	13.733 in.	Weight	30.75 lbs.
Storage Dimension Width	13.733 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A28	UPC: 697950025018
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	28	Construction Detail	Solid
Outside Diameter	14.213 in.	Bore Type	Stock Bore
Pitch Diameter	13.397 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	14.213 in.	Weight	33.15 lbs.
Storage Dimension Width	14.213 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A30	UPC: 697950025049
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	30	Construction Detail	Solid

Outside Diameter	15.172 in.	Bore Type	Stock Bore
Pitch Diameter	14.350 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	15.172 in.	Weight	38.20 lbs.
Storage Dimension Width	15.172 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A32	UPC: 697950025070
--	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	32	Construction Detail	Solid
Outside Diameter	16.130 in.	Bore Type	Stock Bore
Pitch Diameter	15.303 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	16.130 in.	Weight	43.61 lbs.
Storage Dimension Width	16.130 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		


	SPK ROLLER A	120A33	UPC: 697950025094
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.

Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	33	Construction Detail	Solid
Outside Diameter	16.609 in.	Bore Type	Stock Bore
Pitch Diameter	15.780 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	16.609 in.	Weight	46.44 lbs.
Storage Dimension Width	16.609 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A34	UPC: 697950025100
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	34	Construction Detail	Solid
Outside Diameter	17.088 in.	Bore Type	Stock Bore
Pitch Diameter	16.257 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	17.088 in.	Weight	49.37 lbs.
Storage Dimension Width	17.088 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A35	UPC: 697950025124
---	--------------	---------------	-------------------


Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	35	Construction Detail	Solid
Outside Diameter	17.566 in.	Bore Type	Stock Bore
Pitch Diameter	16.734 in.	Min Bore Size	1.500 in.

Informações

Storage Dimension Length	17.566 in.	Weight	52.38 lbs.
Storage Dimension Width	17.566 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		


Martin

	SPK ROLLER A	120A36	UPC: 697950025155
---	--------------	---------------	-------------------

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	36	Construction Detail	Solid
Outside Diameter	18.045 in.	Bore Type	Stock Bore
Pitch Diameter	17.211 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	18.045 in.	Weight	55.49 lbs.
Storage Dimension Width	18.045 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A40	UPC: 697950025179
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	40	Construction Detail	Solid
Outside Diameter	19.959 in.	Bore Type	Stock Bore
Pitch Diameter	19.118 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	19.959 in.	Weight	68.77 lbs.
Storage Dimension Width	19.959 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		


Martin

	SPK ROLLER A	120A42	UPC: 697950025209
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.

Number of Teeth	42	Construction Detail	Solid
Outside Diameter	20.916 in.	Bore Type	Stock Bore
Pitch Diameter	20.072 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	20.916 in.	Weight	75.96 lbs.
Storage Dimension Width	20.916 in.	Individually Packaged	No
Storage Dimension Height	0.924 in		

	SPK ROLLER A	120A45	UPC:697950025230
---	--------------	---------------	------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	45	Construction Detail	Solid
Outside Diameter	22.351 in.	Bore Type	Stock Bore
Pitch Diameter	21.503 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	22.351 in.	Weight	87.38 lbs.
Storage Dimension Width	22.351 in.	Individually Packaged	No
Storage Dimension Height	0.924 in		


Martin

	SPK ROLLER A	100A48	UPC: 697950025261
---	--------------	---------------	-------------------

Especificações			
----------------	--	--	--

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	48	Construction Detail	Solid
Outside Diameter	23.786 in.	Bore Type	Stock Bore
Pitch Diameter	22.935 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	23.786 in.	Weight	99.62 lbs.
Storage Dimension Width	23.786 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A54	UPC: 697950025292
--	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	54	Construction Detail	Solid
Outside Diameter	26.654 in.	Bore Type	Stock Bore
Pitch Diameter	25.798 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	26.654 in.	Weight	127.46 lbs.
Storage Dimension Width	26.654 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A60	UPC:697950025322
---	--------------	---------------	------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	60	Construction Detail	Solid
Outside Diameter	29.522 in.	Bore Type	Stock Bore
Pitch Diameter	28.661 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	29.522 in.	Weight	156.52 lbs.
Storage Dimension Width	29.522 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A70	UPC: 697950025353
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	70	Construction Detail	Solid
Outside Diameter	34.300 in.	Bore Type	Stock Bore
Pitch Diameter	33.434 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	34.300 in.	Weight	213.69 lbs.
Storage Dimension Width	34.300 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		




	SPK ROLLER A	120A8	UPC: 697950024479
---	--------------	--------------	-------------------

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	8	Construction Detail	Solid
Outside Diameter	4.521 in.	Bore Type	Stock Bore
Pitch Diameter	3.920 in.	Min Bore Size	1.250 in.

Informações

Storage Dimension Length	4.521 in.	Weight	2.26 lbs.
Storage Dimension Width	4.521 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A9	UPC: 697950024493
---	--------------	--------------	-------------------

Especificações

Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	9	Construction Detail	Solid
Outside Diameter	5.021 in.	Bore Type	Stock Bore
Pitch Diameter	4.386 in.	Min Bore Size	1.250 in.


Informações

Storage Dimension Length	5.022 in.	Weight	2.98 lbs.
Storage Dimension Width	5.022 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER A	120A80	UPC: 697950025384
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	80	Construction Detail	Solid
Outside Diameter	39.078 in.	Bore Type	Stock Bore
Pitch Diameter	38.207 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	39.078 in.	Weight	270.74 lbs.
Storage Dimension Width	39.078 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

	SPK ROLLER A	120A90	UPC:697950025414
Especificações			
Material	Steel	Single Strand Tooth Thickness	0.924 in.
Chain Number	120	Hardened Teeth	No
Chain Pitch	1.500 in.	Hub Configuration	A
Number of Chain Rows	1	Length thru Bore	0.924 in.
Number of Teeth	90	Construction Detail	Solid

Outside Diameter	43.854 in.	Bore Type	Stock Bore
Pitch Diameter	42.981 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	43.854 in.	Weight	354.63 lbs.
Storage Dimension Width	43.854 in.	Individually Packaged	No
Storage Dimension Height	0.924 in.		

Martin

	SPK ROLLER B	120B10	UPC: 697950024509
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	3.750 in.
Chain Pitch	1.500 in.	Length thru Bore	2.125 in.
Number of Chain Rows	1	Hub Recessed For Chain	Yes
Number of Teeth	10	Construction Detail	Solid
Outside Diameter	5.517 in.	Bore Type	Stock Bore
Pitch Diameter	4.854 in.	Min Bore Size	1.375 in.

Informações			
Storage Dimension Length	5.520 in.	Weight	6.77 lbs.
Storage Dimension Width	5.520 in.	Individually Packaged	No
Storage Dimension Height	2.125 in.		


	SPK ROLLER B	120B11	UPC: 697950024523
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	3.563 in.

Chain Pitch	1.500 in.	Length thru Bore	2.125 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	11	Construction Detail	Solid
Outside Diameter	6.009 in.	Bore Type	Stock Bore
Pitch Diameter	5.324 in.	Min Bore Size	1.375 in.

Informações			
Storage Dimension Length	6.010 in.	Weight	7.72 lbs.
Storage Dimension Width	6.010 in.	Individually Packaged	No
Storage Dimension Height	2.125 in.		

Martin

	SPK ROLLER B	120B12	UPC: 697950024547
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	4.125 in.
Chain Pitch	1.500 in.	Length thru Bore	2.125 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	12	Construction Detail	Solid
Outside Diameter	6.498 in.	Bore Type	Stock Bore
Pitch Diameter	5.796 in.	Min Bore Size	1.375 in.

Informações			
Storage Dimension Length	6.500 in.	Weight	9.90 lbs.
Storage Dimension Width	6.500 in.	Individually Packaged	No
Storage Dimension Height	2.125 in.		



SPK ROLLER B

120B13

UPC: 697950024578

Especificações

Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	4.563 in.
Chain Pitch	1.500 in.	Length thru Bore	2.250 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	13	Construction Detail	Solid
Outside Diameter	6.986 in.	Bore Type	Stock Bore
Pitch Diameter	6.268 in.	Min Bore Size	1.375 in.

Informações

Storage Dimension Length	6.990 in.	Weight	12.57 lbs.
Storage Dimension Width	6.990 in.	Individually Packaged	No
Storage Dimension Height	2.250 in.		

Martin

SPK ROLLER B

120B14


UPC: 697950024608

Especificações

Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	4.750 in.
Chain Pitch	1.500 in.	Length thru Bore	2.250 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	14	Construction Detail	Solid
Outside Diameter	7.472 in.	Bore Type	Stock Bore
Pitch Diameter	6.741 in.	Min Bore Size	1.375 in.

Informações


Storage Dimension Length	7.470 in.	Weight	14.29 lbs.
Storage Dimension Width	7.470 in.	Individually Packaged	No
Storage Dimension Height	2.250 in.		

	SPK ROLLER B	120B15	UPC:697950024639
---	--------------	---------------	------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	4.750 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	15	Construction Detail	Welded
Outside Diameter	7.957 in.	Bore Type	Stock Bore
Pitch Diameter	7.215 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	7.960 in.	Weight	16.33 lbs.
Storage Dimension Width	7.960 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		


Martin

	SPK ROLLER B	120B16	UPC: 697950024660
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	16	Construction Detail	Welded

Outside Diameter	8.441 in.	Bore Type	Stock Bore
Pitch Diameter	7.689 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	8.440 in.	Weight	19.34 lbs.
Storage Dimension Width	8.440 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		

	SPK ROLLER B	120B17	UPC: 697950024691
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	17	Construction Detail	Welded
Outside Diameter	8.924 in.	Bore Type	Stock Bore
Pitch Diameter	8.163 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	8.920 in.	Weight	20.82 lbs.
Storage Dimension Width	8.920 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		


Martin

	SPK ROLLER B	120B18	UPC: 697950024721
---	--------------	---------------	-------------------

Especificações			
----------------	--	--	--

Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	18	Construction Detail	Welded
Outside Diameter	9.407 in.	Bore Type	Stock Bore
Pitch Diameter	8.638 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	9.410 in.	Weight	22.41 lbs.
Storage Dimension Width	9.410 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		

	SPK ROLLER B	120B19	UPC: 697950024752
--	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	19	Construction Detail	Welded
Outside Diameter	9.889 in.	Bore Type	Stock Bore
Pitch Diameter	9.113 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	9.890 in.	Weight	24.07 lbs.
Storage Dimension Width	9.890 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		



	SPK ROLLER B	120B20	UPC: 697950024783
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	20	Construction Detail	Welded
Outside Diameter	10.371 in.	Bore Type	Stock Bore
Pitch Diameter	9.589 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	10.370 in.	Weight	25.84 lbs.
Storage Dimension Width	10.370 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		

	SPK ROLLER B	120B21	UPC: 697950024813
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	21	Construction Detail	Welded
Outside Diameter	10.852 in.	Bore Type	Stock Bore
Pitch Diameter	10.064 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	10.850 in.	Weight	27.69 lbs.
Storage Dimension Width	10.850 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		



	SPK ROLLER B	100B22	UPC: 697950024844
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	22	Construction Detail	Welded
Outside Diameter	11.333 in.	Bore Type	Stock Bore
Pitch Diameter	10.540 in.	Min Bore Size	1.250 in.

Informações			
Storage Dimension Length	11.330 in.	Weight	29.64 lbs.
Storage Dimension Width	11.330 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		


	SPK ROLLER B	100B23	UPC: 697950024875
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	23	Construction Detail	Welded
Outside Diameter	11.813 in.	Bore Type	Stock Bore
Pitch Diameter	11.016 in.	Min Bore Size	1.250 in.


Informações			
Storage Dimension Length	11.810 in.	Weight	31.68 lbs.

Storage Dimension Width	11.810 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		

Martin

	SPK ROLLER B	120B24	UPC: 697950024905
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	24	Construction Detail	Welded
Outside Diameter	12.294 in.	Bore Type	Stock Bore
Pitch Diameter	11.492 in.	Min Bore Size	1.250 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	3.500 in.
Informações			
Storage Dimension Length	12.290 in.	Weight	33.81 lbs.
Storage Dimension Width	12.290 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		


	SPK ROLLER B	120B25	UPC: 697950024936
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	5.250 in.
Chain Pitch	1.500 in.	Length thru Bore	2.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	25	Construction Detail	Welded
Outside Diameter	12.774 in.	Bore Type	Stock Bore

Pitch Diameter	11.968 in.	Min Bore Size	1.250 in.
----------------	------------	---------------	-----------


Informações			
Storage Dimension Length	12.770 in.	Weight	36.04 lbs.
Storage Dimension Width	12.770 in.	Individually Packaged	No
Storage Dimension Height	2.375 in.		

Martin

	SPK ROLLER B	120B26	UPC: 697950024967
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	26	Construction Detail	Welded
Outside Diameter	13.254 in.	Bore Type	Stock Bore
Pitch Diameter	12.444 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	13.250 in.	Weight	41.67 lbs.
Storage Dimension Width	13.250 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		


	SPK ROLLER B	120B28	UPC: 697950025001
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.

Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	28	Construction Detail	Welded
Outside Diameter	14.213 in.	Bore Type	Stock Bore
Pitch Diameter	13.397 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	14.210 in.	Weight	46.58 lbs.
Storage Dimension Width	14.210 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		

Martin

	SPK ROLLER B	120B30	UPC: 697950025032
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	30	Construction Detail	Welded
Outside Diameter	15.172 in.	Bore Type	Stock Bore
Pitch Diameter	14.350 in.	Min Bore Size	1.500 in.

Informações			
Storage Dimension Length	15.170 in.	Weight	51.87 lbs.
Storage Dimension Width	15.170 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		

	SPK ROLLER B	120B32	UPC: 697950025063
---	--------------	---------------	-------------------


Especificações

Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	32	Construction Detail	Welded
Outside Diameter	16.130 in.	Bore Type	Stock Bore
Pitch Diameter	15.303 in.	Min Bore Size	1.500 in.

Informações

Storage Dimension Length	16.130 in.	Weight	57.54 lbs.
Storage Dimension Width	16.130 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		

Martin


	SPK ROLLER B	120B35	UPC: 697950025117
---	--------------	---------------	-------------------

Especificações

Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	35	Construction Detail	Welded
Outside Diameter	17.566 in.	Bore Type	Stock Bore
Pitch Diameter	16.734 in.	Min Bore Size	1.500 in.

Informações


Storage Dimension Length	17.570 in.	Weight	66.72 lbs.
Storage Dimension Width	17.570 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		

	SPK ROLLER B	120B36	UPC: 697950025148
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	2.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	36	Construction Detail	Welded
Outside Diameter	18.045 in.	Bore Type	Stock Bore
Pitch Diameter	17.211 in.	Min Bore Size	1.500 in.


Informações			
Storage Dimension Length	18.050 in.	Weight	69.97 lbs.
Storage Dimension Width	18.050 in.	Individually Packaged	No
Storage Dimension Height	2.500 in.		

Martin

	SPK ROLLER B	120B9	UPC: 697950024486
---	--------------	--------------	-------------------


Especificações			
Material	Steel	Hub Configuration	B
Chain Number	120	Hub Outside Diameter	3.375 in.
Chain Pitch	1.500 in.	Length thru Bore	2.250 in.
Number of Chain Rows	1	Hub Recessed For Chain	Yes
Number of Teeth	9	Construction Detail	Solid

Outside Diameter	5.021 in.	Bore Type	Stock Bore
Pitch Diameter	4.386 in.	Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	1.813 in.
Informações			
Storage Dimension Length	5.020 in.	Weight	5.33 lbs.
Storage Dimension Width	5.020 in.	Individually Packaged	No
Storage Dimension Height	2.250 in.		

	SPK ROLLER C	120C11	UPC: 697950179407
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	3.563 in.
Chain Pitch	1.500 in.	Length thru Bore	3.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	11	Construction Detail	Welded
Outside Diameter	6.009 in.	Bore Type	Stock Bore
Pitch Diameter	5.325 in.	Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	2.375 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	6.009 in.	Weight	12.45 lbs.
Storage Dimension Width	6.009 in.	Individually Packaged	No
Storage Dimension Height	3.375 in.		


	SPK ROLLER C	120C12	UPC: 697950067223
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	4.188 in.
Chain Pitch	1.500 in.	Length thru Bore	3.375 in.


Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	12	Construction Detail	Welded
Outside Diameter	6.498 in.	Bore Type	Stock Bore
Pitch Diameter	5.796 in.	Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	2.750 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	6.498 in.	Weight	14.80 lbs.
Storage Dimension Width	6.498 in.	Individually Packaged	No
Storage Dimension Height	3.375 in.		

Martin

	SPK ROLLER C	120C13	UPC: 697950179414
Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	4.625 in.
Chain Pitch	1.500 in.	Length thru Bore	3.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	13	Construction Detail	Welded
Outside Diameter	6.986 in.	Bore Type	Stock Bore
Pitch Diameter	6.269 in.	Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	3.000 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	6.986 in.	Weight	17.15 lbs.
Storage Dimension Width	6.986 in.	Individually Packaged	No
Storage Dimension Height	3.375 in.		

	SPK ROLLER C	120C14	UPC: 697950179421
Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	4.750 in.
Chain Pitch	1.500 in.	Length thru Bore	3.375 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	14	Construction Detail	Welded
Outside Diameter	7.472 in.	Bore Type	Stock Bore
Pitch Diameter	6.741 in.	Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	3.250 in.
Hardened Teeth	No		


Informações			
Storage Dimension Length	7.472 in.	Weight	19.50 lbs.
Storage Dimension Width	7.472 in.	Individually Packaged	No
Storage Dimension Height	3.375 in.		

Martin

	SPK ROLLER C	120C40	UPC: 697950025193
Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	3.750 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	40	Construction Detail	Welded
Outside Diameter	19.959 in.	Bore Type	Stock Bore
Pitch Diameter	19.118 in.	Min Bore Size	1.500 in.

Single Strand Tooth Thickness	0.924 in.	Max Bore Size	4.000 in.
Hardened Teeth	No		


Informações			
Storage Dimension Length	19.960 in.	Weight	93.25 lbs.
Storage Dimension Width	19.960 in.	Individually Packaged	No
Storage Dimension Height	3.750 in.		

	SPK ROLLER C	120C42	UPC: 697950025223
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	3.750 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	42	Construction Detail	Welded
Outside Diameter	20.916 in.	Bore Type	Stock Bore
Pitch Diameter	20.072 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	4.000 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	20.920 in.	Weight	100.77 lbs.
Storage Dimension Width	20.920 in.	Individually Packaged	No
Storage Dimension Height	3.750 in.		


Martin

	SPK ROLLER C	120C45	UPC: 697950025254
---	--------------	---------------	-------------------

Especificações			
----------------	--	--	--

Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	3.750 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	45	Construction Detail	Welded
Outside Diameter	22.351 in.	Bore Type	Stock Bore
Pitch Diameter	21.503 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	4.000 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	22.350 in.	Weight	112.74 lbs.
Storage Dimension Width	22.350 in.	Individually Packaged	No
Storage Dimension Height	3.750 in.		

	SPK ROLLER C	120C48	UPC: 697950025285
--	--------------	---------------	-------------------


Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	4.000 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	48	Construction Detail	Welded With Lightening Holes
Outside Diameter	23.786 in.	Bore Type	Stock Bore
Pitch Diameter	22.935 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	4.000 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	23.790 in.	Weight	127.42 lbs.
Storage Dimension Width	23.790 in.	Individually Packaged	No
Storage Dimension Height	4.000 in		



	SPK ROLLER C	120C54	UPC: 697950025315
Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	6.000 in.
Chain Pitch	1.500 in.	Length thru Bore	4.000 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	54	Construction Detail	Welded With Lightening Holes
Outside Diameter	26.654 in.	Bore Type	Stock Bore
Pitch Diameter	25.798 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	4.000 in.
Hardened Teeth	No		


Informações			
Storage Dimension Length	26.650 in.	Weight	155.53 lbs.
Storage Dimension Width	26.650 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		

	SPK ROLLER C	120C60	UPC: 697950025346
Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	7.000 in.
Chain Pitch	1.500 in.	Length thru Bore	4.000 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	60	Construction Detail	Welded With Lightening Holes
Outside Diameter	29.522 in.	Bore Type	Stock Bore
Pitch Diameter	28.661 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	5.250 in.

Hardened Teeth	No		
----------------	----	--	--


Informações			
Storage Dimension Length	29.520 in.	Weight	195.87 lbs.
Storage Dimension Width	29.520 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		

Martin

	SPK ROLLER C	120C70	UPC: 697950025377
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	C
Chain Number	120	Hub Outside Diameter	7.500 in.
Chain Pitch	1.500 in.	Length thru Bore	4.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	70	Construction Detail	Welded With Lightening Holes
Outside Diameter	34.300 in.	Bore Type	Stock Bore
Pitch Diameter	33.434 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	5.375 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	34.300 in.	Weight	266.69 lbs.
Storage Dimension Width	34.300 in.	Individually Packaged	No
Storage Dimension Height	4.500 in.		

	SPK ROLLER C	120C80	UPC: 697950025407
---	--------------	---------------	-------------------

Especificações			
Material	Steel	Hub Configuration	C

Chain Number	120	Hub Outside Diameter	7.500 in.
Chain Pitch	1.500 in.	Length thru Bore	4.500 in.
Number of Chain Rows	1	Hub Recessed For Chain	No
Number of Teeth	80	Construction Detail	Welded With Lightening Holes
Outside Diameter	39.078 in.	Bore Type	Stock Bore
Pitch Diameter	38.207 in.	Min Bore Size	1.500 in.
Single Strand Tooth Thickness	0.924 in.	Max Bore Size	5.375 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	39.080 in.	Weight	335.83 lbs.
Storage Dimension Width	39.080 in.	Individually Packaged	No
Storage Dimension Height	4.500 in.		