



SPK ROLLER MST (Q1)

120Q11H

UPC: 697950126616

Especificações

Material	Steel	Hub Outside Diameter	3.890 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	11	Key Way Size	.500 WIDE in.
Outside Diameter	6.009 in.	Bushing Part Number	Q1
Pitch Diameter	5.324 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	6.009 in.	Weight	4.75 lbs.
Storage Dimension Width	6.009 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

120Q12H

UPC: 697950126623

Especificações

Material	Steel	Hub Outside Diameter	4.000 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	12	Key Way Size	.500 WIDE in.
Outside Diameter	6.498 in.	Bushing Part Number	Q1
Pitch Diameter	5.796 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.

Hardened Teeth	Yes		
----------------	-----	--	--

Informações			
Storage Dimension Length	6.498 in.	Weight	5.96 lbs.
Storage Dimension Width	6.498 in.	Individually Packaged	No
Storage Dimension Height	1.750 in		

Martin



SPK ROLLER MST (Q1)	120Q13H	UPC: 697950126630
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	13	Key Way Size	.500 WIDE in.
Outside Diameter	6.986 in.	Bushing Part Number	Q1
Pitch Diameter	6.268 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	6.986 in.	Weight	7.27 lbs.
Storage Dimension Width	6.986 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)	120Q14H	UPC: 697950126647
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	4.125 in.

Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	14	Key Way Size	.500 WIDE in.
Outside Diameter	7.472 in.	Bushing Part Number	Q1
Pitch Diameter	6.741 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	7.472 in.	Weight	8.47 lbs.
Storage Dimension Width	7.472 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin



SPK ROLLER MST (Q1)

120Q15H

UPC: 697950126692

Especificações			
Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	15	Key Way Size	.500 WIDE in.
Outside Diameter	7.957 in.	Bushing Part Number	Q1
Pitch Diameter	7.215 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	7.957 in.	Weight	9.78 lbs.

Storage Dimension Width	7.957 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

120Q16H

UPC: 697950097237

Especificações

Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	16	Key Way Size	.500 WIDE in.
Outside Diameter	8.441 in.	Bushing Part Number	Q1
Pitch Diameter	7.689 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	8.441 in.	Weight	11.23 lbs.
Storage Dimension Width	8.441 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin



SPK ROLLER MST (Q1)

120Q17H

UPC: 697950102436

Especificações

Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	17	Key Way Size	.500 WIDE in.

Outside Diameter	8.924 in.	Bushing Part Number	Q1
Pitch Diameter	8.163 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	8.924 in.	Weight	12.00 lbs.
Storage Dimension Width	8.924 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

120Q18H

UPC: 697950102443

Especificações			
Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	18	Key Way Size	.500 WIDE in.
Outside Diameter	9.407 in.	Bushing Part Number	Q1
Pitch Diameter	8.638 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	9.407 in.	Weight	13.95 lbs.
Storage Dimension Width	9.407 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin

SPK ROLLER MST (Q1)		UPC:
---------------------	--	------

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	20	Key Way Size	.500 WIDE in.
Outside Diameter	8.642 in.	Bushing Part Number	Q1
Pitch Diameter	7.991 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	8.642 in.	Weight	10.00 lbs.
Storage Dimension Width	8.642 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)	120Q11H	UPC: 697950097862
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	21	Key Way Size	.500 WIDE in.
Outside Diameter	9.043 in.	Bushing Part Number	Q1
Pitch Diameter	8.387 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
-------------	--	--	--

Storage Dimension Length	9.043 in.	Weight	10.85 lbs.
Storage Dimension Width	9.043 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin



SPK ROLLER MST (Q1)

100Q22H

UPC: 697950097947

Especificações

Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	22	Key Way Size	.500 WIDE in.
Outside Diameter	9.444 in.	Bushing Part Number	Q1
Pitch Diameter	8.783 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	9.444 in.	Weight	11.80 lbs.
Storage Dimension Width	9.444 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

100Q23H

UPC: 697950097954

Especificações

Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST

Number of Teeth	23	Key Way Size	.500 WIDE in.
Outside Diameter	9.844 in.	Bushing Part Number	Q1
Pitch Diameter	9.180 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	9.844 in.	Weight	12.90 lbs.
Storage Dimension Width	9.844 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin



SPK ROLLER MST (Q1)

100Q24H

UPC: 697950097961

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	24	Key Way Size	.500 WIDE in.
Outside Diameter	10.245 in.	Bushing Part Number	Q1
Pitch Diameter	9.577 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	10.245 in.	Weight	14.20 lbs.
Storage Dimension Width	10.245 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

100Q25H

UPC: 697950097978

Especificações

Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	25	Key Way Size	.500 WIDE in.
Outside Diameter	10.645 in.	Bushing Part Number	Q1
Pitch Diameter	9.973 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	10.645 in.	Weight	15.00 lbs.
Storage Dimension Width	10.645 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin

SPK ROLLER MST (Q1)

100Q26H

UPC: 697950098029

Especificações

Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	26	Key Way Size	.750 WIDE in.
Outside Diameter	11.045 in.	Bushing Part Number	R1
Pitch Diameter	10.370 in.	Bushing Min Bore Size	1.125 in.

Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	11.045 in.	Weight	16.82 lbs.
Storage Dimension Width	11.045 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (Q1)

100Q27H

UPC: 697950098036

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	27	Key Way Size	.500 WIDE in.
Outside Diameter	11.444 in.	Bushing Part Number	Q1
Pitch Diameter	10.767 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	11.444 in.	Weight	17.40 lbs.
Storage Dimension Width	11.444 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		

Martin



SPK ROLLER MST (Q1)

100Q28H

UPC: 697950098043

Especificações			
----------------	--	--	--

Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	28	Key Way Size	.500 WIDE in.
Outside Diameter	11.844 in.	Bushing Part Number	Q1
Pitch Diameter	11.164 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	11.844 in.	Weight	18.40 lbs.
Storage Dimension Width	11.844 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)

100Q30H

UPC: 697950098050

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	30	Key Way Size	.500 WIDE in.
Outside Diameter	12.643 in.	Bushing Part Number	Q1
Pitch Diameter	11.959 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	12.643 in.	Weight	21.60 lbs.
Storage Dimension Width	12.643 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)	100Q32H	UPC: 697950098104
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	4.250 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	32	Key Way Size	.500 WIDE in.
Outside Diameter	13.441 in.	Bushing Part Number	Q1
Pitch Diameter	12.753 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	13.441 in.	Weight	24.20 lbs.
Storage Dimension Width	13.441 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (Q1)	100Q35H	UPC: 697950096346
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	4.125 in.
Chain Number	100	Hub Recessed For Chain	No
Chain Pitch	1.250 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	35	Key Way Size	.500 WIDE in.
Outside Diameter	14.639 in.	Bushing Part Number	Q1
Pitch Diameter	13.945 in.	Bushing Min Bore Size	0.750 in.
Single Strand Tooth Thickness	0.692 in.	Bushing Max Bore Size	2.688 in.

Hardened Teeth	No		
----------------	----	--	--

Informações			
Storage Dimension Length	14.639 in.	Weight	28.45 lbs.
Storage Dimension Width	14.639 in.	Individually Packaged	No
Storage Dimension Height	1.750 in.		



SPK ROLLER MST (R1)	120R16	UPC: 697950097251
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.375 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Solid
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	16	Key Way Size	.750 WIDE in.
Outside Diameter	8.441 in.	Bushing Part Number	R1
Pitch Diameter	7.689 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	8.441 in.	Weight	11.10 lbs.
Storage Dimension Width	8.441 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)	120R17	UPC: 697950102450
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.

Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	17	Key Way Size	.750 WIDE in.
Outside Diameter	8.924 in.	Bushing Part Number	R1
Pitch Diameter	8.163 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	8.924 in.	Weight	12.27 lbs.
Storage Dimension Width	8.924 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)

120R18

UPC: 697950102467

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	18	Key Way Size	.750 WIDE in.
Outside Diameter	9.407 in.	Bushing Part Number	R1
Pitch Diameter	8.638 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	9.407 in.	Weight	14.00 lbs.

Storage Dimension Width	9.407 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)

120R19

UPC: 697950102474

Especificações

Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	19	Key Way Size	.750 WIDE in.
Outside Diameter	9.889 in.	Bushing Part Number	R1
Pitch Diameter	9.113 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	9.889 in.	Weight	14.60 lbs.
Storage Dimension Width	9.889 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)

120R20

UPC: 697950102481

Especificações

Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	20	Key Way Size	.750 WIDE in.

Outside Diameter	10.371 in.	Bushing Part Number	R1
Pitch Diameter	9.589 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	10.371 in.	Weight	18.00 lbs.
Storage Dimension Width	10.371 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)

120R21

UPC: 697950233192

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	21	Key Way Size	.750 WIDE in.
Outside Diameter	10.852 in.	Bushing Part Number	R1
Pitch Diameter	10.064 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	10.852 in.	Weight	19.00 lbs.
Storage Dimension Width	10.852 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)

120R22

UPC: 697950102498

Especificações

Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	22	Key Way Size	.750 WIDE in.
Outside Diameter	11.333 in.	Bushing Part Number	R1
Pitch Diameter	10.540 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	11.333 in.	Weight	22.00 lbs.
Storage Dimension Width	11.333 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)

120R23H

UPC: 697950102504

Especificações

Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	23	Key Way Size	.750 WIDE in.
Outside Diameter	11.813 in.	Bushing Part Number	R1
Pitch Diameter	11.016 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	11.813 in.	Weight	23.00 lbs.
Storage Dimension Width	11.813 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)	120R24	UPC: 697950102511
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	24	Key Way Size	.750 WIDE in.
Outside Diameter	12.294 in.	Bushing Part Number	R1
Pitch Diameter	11.492 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	12.294 in.	Weight	25.00 lbs.
Storage Dimension Width	12.294 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)	120R25	UPC: 697950102528
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST

Number of Teeth	25	Key Way Size	.750 WIDE in.
Outside Diameter	12.774 in.	Bushing Part Number	R1
Pitch Diameter	11.968 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	12.774 in.	Weight	27.00 lbs.
Storage Dimension Width	12.774 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)	120R26H	UPC: 697950102542
---------------------	----------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	26	Key Way Size	.750 WIDE in.
Outside Diameter	13.254 in.	Bushing Part Number	R1
Pitch Diameter	12.444 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	13.254 in.	Weight	30.00 lbs.
Storage Dimension Width	13.254 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)

120R28

UPC: 697950102559

Especificações

	Steel	Hub Outside Diameter	5.375 in.
	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	28	Key Way Size	.750 WIDE in.
Outside Diameter	14.213 in.	Bushing Part Number	R1
Pitch Diameter	13.397 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações

Storage Dimension Length	14.213 in.	Weight	34.00 lbs.
Storage Dimension Width	14.213 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin

SPK ROLLER MST (R1)

120R30

UPC: 697950102566

Especificações

Material	Steel	Hub Outside Diameter	5.406 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	30	Key Way Size	.750 WIDE in.
Outside Diameter	15.172 in.	Bushing Part Number	R1
Pitch Diameter	14.350 in.	Bushing Min Bore Size	1.125 in.

Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	Yes		

Informações			
Storage Dimension Length	15.172 in.	Weight	40.00 lbs.
Storage Dimension Width	15.172 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		



SPK ROLLER MST (R1)	120R32	UPC: 697950104904
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	32	Key Way Size	.750 WIDE in.
Outside Diameter	16.130 in.	Bushing Part Number	R1
Pitch Diameter	15.303 in.	Bushing Min Bore Size	1.125 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.750 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	16.130 in.	Weight	44.55 lbs.
Storage Dimension Width	16.130 in.	Individually Packaged	No
Storage Dimension Height	2.000 in.		

Martin



SPK ROLLER MST (R1)	120R35	UPC: 697950104911
---------------------	---------------	-------------------

Especificações			
----------------	--	--	--

Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	35	Key Way Size	.750 WIDE in.
Outside Diameter	17.566 in.	Bushing Part Number	R2
Pitch Diameter	16.734 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	17.566 in.	Weight	62.00 lbs.
Storage Dimension Width	17.566 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		



SPK ROLLER MST (R1)

120R36

UPC: 697950104942

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	36	Key Way Size	.750 WIDE in.
Outside Diameter	18.045 in.	Bushing Part Number	R2
Pitch Diameter	17.211 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	18.045 in.	Weight	63.00 lbs.
Storage Dimension Width	18.045 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		



SPK ROLLER MST (R1)	120R40	UPC: 697950104959
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	40	Key Way Size	.750 WIDE in.
Outside Diameter	19.959 in.	Bushing Part Number	R2
Pitch Diameter	19.118 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	19.959 in.	Weight	77.00 lbs.
Storage Dimension Width	19.959 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		



SPK ROLLER MST (R1)	120R45	UPC: 697950105000
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded With Lightning Holes
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	45	Key Way Size	.750 WIDE in.
Outside Diameter	22.351 in.	Bushing Part Number	R2
Pitch Diameter	21.503 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.

Hardened Teeth	No		
----------------	----	--	--

Informações			
Storage Dimension Length	22.351 in.	Weight	88.00 lbs.
Storage Dimension Width	22.351 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		

Martin



SPK ROLLER MST (R1)	120R60	UPC: 697950105062
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded With Lightening Holes
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	60	Key Way Size	.750 WIDE in.
Outside Diameter	29.522 in.	Bushing Part Number	R2
Pitch Diameter	28.661 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	29.522 in.	Weight	137.00 lbs.
Storage Dimension Width	29.522 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		



SPK ROLLER MST (R1)	120R70	UPC: 697950105109
---------------------	---------------	-------------------

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.

Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded With Lightening Holes
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	70	Key Way Size	.750 WIDE in.
Outside Diameter	34.300 in.	Bushing Part Number	R2
Pitch Diameter	33.434 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	34.300 in.	Weight	173.00 lbs.
Storage Dimension Width	34.300 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		

Martin



SPK ROLLER MST (R1)

120R80

UPC: 697950125909

Especificações			
Material	Steel	Hub Outside Diameter	5.500 in.
Chain Number	120	Hub Recessed For Chain	No
Chain Pitch	1.500 in.	Construction Detail	Welded With Lightening Holes
Number of Chain Rows	1	Bore Type	Bushed MST
Number of Teeth	80	Key Way Size	.750 WIDE in.
Outside Diameter	39.078 in.	Bushing Part Number	R2
Pitch Diameter	38.207 in.	Bushing Min Bore Size	1.375 in.
Single Strand Tooth Thickness	0.924 in.	Bushing Max Bore Size	3.625 in.
Hardened Teeth	No		

Informações			
Storage Dimension Length	39.078 in.	Weight	217.00 lbs.

Storage Dimension Width	39.078 in.	Individually Packaged	No
Storage Dimension Height	4.000 in.		